Seamless and Secure Access (SSA) Manual Configuration Guide For Mac OS X 10.10 Yosemite



Seamless and Secure Access (SSA) Manual Configuration Guide for Mac OS X 10.10 Yosemite (Rev 1.1)



b) Enter your personal Wireless@SG user name followed by the @domain format and password like below. Click on "OK" once done. Once you have entered your credentials, enable the option "Remember this network", followed by "Join".

The Wi-Fi enterprise	network "Wireless@SGx" requires WPA e credentials.
Username:	Wireless@SG account
Password:	••••••
<	 Show password Remember this network
?	Cancel Join

c) When prompted to authenticate to the Wireless@SGx network, click on "Continue" to proceed.

000	Verify Certificate					
	Authenticating to network "Wireless@SGx" Before authenticating to server "rps.singtel.com", you should examine the server's certificate to ensure that it is appropriate for this network. To view the certificate, click 'Show Certificate'.					
?	Show Certificate Cancel Continue					

d) Key in your Mac OS admin password to save the certificate onto the Macbook. Click on "Update Settings" once done.

	Network	Q Search
Loca	tion: Automatic	\$
Wi-Fi OO Self-As Blueto Not Co	You are making changes to your Certific Settings. Type your password to allow t	cate Trust his.
Not Cor	Username: IDA_user Password:	
?	Cancel Update	Settings
	Authenticating	
+ - *	Show Wi-Fi status in menu bar	Advanced ?
	Assist me	Revert Apply

e) Once the wireless icon turns solid like this , it means you are connected to the internet.



b) Select "Advanced" option.

	Network	Q Search				
Loca	tion: Automatic	\$				
Wi-Fi Image: Connected Bluetooth PAN Image: Connected Not Connected Image: Connected	Status: Connected Wi-Fi is connec the IP address	Turn Wi-Fi Off ted to Wireless@SGx and has 10.138.6.135.				
ThundIt Bridge Not Connected	Network Name: Wireless@SGx Ask to join new networks Known networks will be joined automatically. If no known networks are available, you will have to manually select a network.					
	802.1X: Default Authenticated Connect Time:	Disconnect via PEAP (MSCHAPv2) 00:01:03				
+ - *-	✓ Show Wi-Fi status in menu bar Assist me	Advanced?				

- Network
- c) Highlight "Wireless@SGx" and simply click on the icon.

VVI-F1	TCP/IP DNS	WINS 802.	1X Proxies	Hardware	
Preferred N	letworks:				
Network Na	me	Security			
+ (-) r Remem Require ad Creat	Drag networks into the ber networks this c ministrator authoriz e computer-to-com ge networks	order you prefer. omputer has join zation to: aputer networks	ed		
Turn \					

d) The profile will be removed. Click "OK" to exit.

000		Network				Q	Search	
🔶 Wi-	Fi							
	Wi-Fi	TCP/IP	DNS	WINS	802.1X	Proxies	Hardware	
	Preferred Net	tworks:						
	Network Name	e		Se	curity			
	+ - Dra	ig networks	into the o	rder you pi	refer.			
	Bequire adm	inistrator a	authorizs	tion to:	as joined			
	Create Create	computer- networks -Fi on or o	to-comp	outer netw	vorks			
	Wi-Fi Addres	s: 3c:15:0	2:cb:22	:de				
?							Cancel	ОК